

ANALYTICA CHIMICA ACTA, VOL. 270 (1992)

AUTHOR INDEX

- Adeloju, S.B.O.
— and Pablo, F.
Determination of ultra-trace concentrations of tin by adsorptive cathodic stripping voltammetry on a glassy carbon mercury film electrode 143
- Aguilar Gallardo, A., see García Sánchez, F. 45
- Baffi, F.
—, Cardinale, A.M. and Bruzzone, R.
Preconcentration of chromium, copper and manganese from sea water on pretreated solid materials for determination by atomic absorption spectrometry 79
- Barakat, S.A., see Burns, D.T. 213
- Barceló, D., see Marko-Varga, G. 63
- Bauer, W.F., see Johnson, D.A. 223
- Bosch-Reig, F., see Campíns-Falcó, P. 253
- Bruzzone, R., see Baffi, F. 79
- Burns, D.T.
—, Barakat, S.A., Harriott, M. and El-Shahawi, M.S.
Flow-injection extraction-spectrophotometric determination of manganese(VII) with benzyltributylammonium cations 213
- Cabalín, L.M.
—, Laserna, J.J. and Rupérez, A.
Solid surface room-temperature phosphorescence analysis of banned substances in sport 239
- Campíns-Falcó, P.
—, Bosch-Reig, F. and Verdú-Andrés, J.
Evaluation and elimination of the "blank bias error" using the H-point standard addition method. Application to spectrophotometric determinations using absorbent blank 253
—, Herráez-Hernández, R. and Sevillano-Cabeza, A.
Sensitive determination of ethacrynic acid in urine samples by reversed-phase liquid chromatography with ultraviolet detection using solid-phase extraction techniques for sample clean-up 39
- Cardinale, A.M., see Baffi, F. 79
- Casella, I.G., see Cataldi, T.R.I. 161
- Cataldi, T.R.I.
—, Casella, I.G., Desimoni, E. and Rotunno, T.
Cobalt-based glassy carbon chemically modified electrode for constant-potential amperometric detection of carbohydrates in flow-injection analysis and liquid chromatography 161
- Chan, C.C.Y.
— and Sadana, R.S.
Determination of arsenic and selenium in environmental samples by flow-injection hydride generation atomic absorption spectrometry 231
- Chang, H.-L., see Palasota, J.A. 101
- Chen, C.-S., see Jen, J.-F. 55
- Chen, Y., see Zhu, W. 173
- Deming, S.N., see Palasota, J.A. 101
- Deming, S.N., see Palasota, J.M. 13
- Desimoni, E., see Cataldi, T.R.I. 161
- El-Shahawi, M.S., see Burns, D.T. 213
- Fachinger, C., see Naffrechoux, E. 187
- Fan, Z.-H.
—, Zhang, L.-X. and Zhou, H.-D.
Sequential determination of molybdenum and tungsten in silicate rocks by a spectrophotometric method 267
- Fukushima, M.
—, Hasebe, K. and Taga, M.
Effect of sodium dodecyl sulphate on the measurement of labile copper(II) species by anodic stripping voltammetry in the presence of humic acid 153
- Gandhi, M.N.
— and Khopkar, S.M.
Liquid-liquid extraction separation of thallium(I) with cryptand 222 and erythrosin 87
- Gao, Y., see Qi, W. 205
- García Sánchez, F.
— and Aguilar Gallardo, A.
Liquid chromatographic and spectrofluorimetric determination of aspartame and glutamate in foodstuffs following fluorecamine fluorogenic labelling 45
- Harriott, M., see Burns, D.T. 213
- Hasebe, K., see Fukushima, M. 153
- Herráez-Hernández, R., see Campíns-Falcó, P. 39
- Ishii, D., see Sagara, F. 217
- Jen, J.-F.
— and Chen, C.-S.
Determination of metal ions as EDTA complexes by reversed-phase ion-pair liquid chromatography 55
- Johnson, D.A.
—, Siemer, D.D. and Bauer, W.F.

- Determination of nanogram levels of boron in milligram-sized tissue samples by inductively coupled plasma-atomic emission spectroscopy 223
- Jordan, J.M.
— and Pardue, H.L.
Experimental evaluation of theoretical response equations for an unsegmented flow system with a well-stirred mixing chamber 195
- Khopkar, S.M., see Gandhi, M.N. 87
- Kuno, Y.
—, Sato, S. and Masui, J.
On-line determination of iodine in nuclear fuel reprocessing off-gas streams by a combination of laser-induced fluorimetry and laser photoacoustic spectroscopy 181
- Laserna, J.J., see Cabalín, L.M. 239
- Leonidou, I., see Palasota, J.A. 101
- Lindner, W., see Vandenbosch, C. 1
- Marek, M., see Vrbová, E. 131
- Marko-Varga, G.
— and Barceló, D.
Evaluation of gel permeation chromatographic techniques and diode-array UV detection for the characterization of biotechnological fermentation substrates and broths 63
- Massart, D.L., see Vandenbosch, C. 1
- Masui, J., see Kuno, Y. 181
- Morsink, J.B.W., see Van den Bogaert, B. 107, 115
- Naffrechoux, E.
—, Fachinger, C. and Suptil, J.
Diode-array ultraviolet detector for continuous monitoring of water quality 187
- Nakajima, K.
—, Ohta, K. and Takada, T.
Effect of cavity surface on S_2 emission in molecular emission cavity analysis 247
- Nakamura, S.
— and Suzuki, N.
Synergic extraction of tervalent lanthanoids with 2-thenoyltrifluoroacetone and ethylenediamine as a neutral bidentate ligand 95
- Ohta, K., see Nakajima, K. 247
- Pablo, F., see Adeloju, S.B.O. 143
- Palasota, J.A.
—, Leonidou, I., Palasota, J.M., Chang, H.-L. and Deming, S.N.
Sequential simplex optimization in a constrained simplex mixture space in liquid chromatography 101
- Palasota, J.M.
— and Deming, S.N.
Mixture designs applied to the study of the liquid chromatographic separation of L-phenylalanine, L-tyrosine and L-tryptophan 13
- Palasota, J.M., see Palasota, J.A. 101
- Pardue, H.L., see Jordan, J.M. 195
- Qi, W.
—, Wu, X., Zhou, C., Wu, H. and Gao, Y.
Flow-injection on-line fibre column separation and pre-concentration system for efficient determination of trace gold in ores and metallurgical samples by flame atomic absorption spectrometry 205
- Ralys, E., see Vrbová, E. 131
- Rotunno, T., see Cataldi, T.R.I. 161
- Rupérez, A., see Cabalín, L.M. 239
- Sadana, R.S., see Chan, C.C.Y. 231
- Sagara, F.
—, Tsuji, T., Yoshida, I., Ishii, D. and Ueno, K.
Determination of chloride ion concentration in natural and waste waters by flow-injection analysis with a silver chloranilate reaction column 217
- Sato, S., see Kuno, Y. 181
- Sevillano-Cabeza, A., see Campíns-Falcó, P. 39
- Siemer, D.D., see Johnson, D.A. 223
- Smit, H.C., see Van den Bogaert, B. 107, 115
- Suptil, J., see Naffrechoux, E. 187
- Suzuki, N., see Nakamura, S. 95
- Taga, M., see Fukushima, M. 153
- Takada, T., see Nakajima, K. 247
- Tian, B., see Wang, J. 137
- Tsuji, T., see Sagara, F. 217
- Ueno, K., see Sagara, F. 217
- Van den Bogaert, B.
—, Morsink, J.B.W. and Smit, H.C.
Expert system for the determination of the analytical strategy in a laboratory for elemental analysis. Part 1. Project definition 107
—, Morsink, J.B.W. and Smit, H.C.
Expert system for the determination of the analytical strategy in a laboratory for elemental analysis. Part 2. Development of an x-ray fluorescence subsystem 115
- Vandenbosch, C.
—, Massart, D.L. and Lindner, W.
Evaluation of the enantioselectivity of an ovomucoid and a cellulase chiral stationary phase towards a set of β -blocking agents 1
- Verdú-Andrés, J., see Campíns-Falcó, P. 253
- Vrbová, E.
—, Marek, M. and Ralys, E.
Biosensor for the determination of L-lysine 131
- Wang, J.
— and Tian, B.
Trace measurements of beryllium by adsorptive stripping voltammetry and potentiometry 137

Wu, H., see Qi, W. 205

Wu, X., see Qi, W. 205

Yoshida, I., see Sagara, F. 217

Zhang, L.-X., see Fan, Z.-H. 267

Zhou, C., see Qi, W. 205

Zhou, H.-D., see Fan, Z.-H. 267

Zhu, W.

— and Chen, Y.

Differential-pulse polarographic study of nicotinamide adenine dinucleotide at a dropping mercury electrode 173

Erratum

Anal. Chim. Acta, 269 (1992) 59–64

p. 61, 12th line of the text in the right column: "bromide (DTAB)" should be deleted.